

# RIALTO

# RIALTO


## Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface


15 x 60 cm | 5,9"x 23,6"

	Odpornost proti zmrzovanju   Frost Resistance	<b>R10</b>	Razred drsnosti   Slipperiness
	Primerno za zunanje površine   Suitable for Outdoor Areas	<b>B</b>	Razred drsnosti na mokri podlagi   Slipperiness on Wet Surfaces
	Primerno za bivalne površine   Suitable for Residential Areas	<b>PEI IV</b>	Odpornost proti obrabi   Abrasion Resistance
	Talna ploščica   Floor Tile	<b>V3</b>	Ploščice z zmerno različnim odtenkom in/ali izgledom   Tiles With Moderate Shade and/or Aspect Variation
	Stenska ploščica   Wall Tile	<b>19</b>	Število različnih lic   Number of Different Faces
<b>M</b>	Mat ploščica   Matt Tile		





### BARVE | COLORS



923471 RIALTO GREY



Rialto Grey

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m <sup>2</sup> / Mq	kg	paketov / boxes	m <sup>2</sup> / Mq	kg
Odpornost proti zmrzovanju   Frost Resistance		15x60	10	0,90	17,70	64	57,60	1.130

# RIALTO

## Gorenje Keramika, d.o.o.

**Sedež/Headquarters:** Partizanska cesta 12,  
3320 Velenje, Slovenija

**Lokacija/Location:** Gorenje 1/b,  
3327 Smartno ob Paki, Slovenija

**T:** +386 (0)3 896 61 10

**F:** +386 (0)3 896 61 13

**E:** [keramika@gorenje.com](mailto:keramika@gorenje.com)

**W:** <https://si.gorenje.com/izdelki/keramika>  
<https://ceramics-gorenje.com/>

